

[Home](#) ■ [Solutions](#) ■ [Sludge Treatment](#) ■ [Sludge Thickening](#)

HUBER Solutions for Sludge Thickening

Thickening is the first step for reducing the sludge volume by removal of free sludge water. Thin sludge is concentrated to thick sludge. Thick sludge has a higher viscosity, but must still be pumpable.


Sludge settles in gravity thickeners and is compressed by the weight of its own solids. Due to their higher specific density, primary and digested sludge can be better gravity-thickened than secondary sludge.

Secondary sludge (e.g. waste activated sludge) is preferably thickened mechanically, separate from primary sludge. Polymers are added to the thin sludge for flocculation. Generation of large and strong flocs depends on the right choice and dosage of polymers, and on intensive mixing of polymers and sludge. Sludge water is released between the flocs and drains by gravity through a filter medium (cloth or fine screen) while flocs are retained thereon.

We manufacture various kinds of highly effective HUBER machines for sludge thickening. They are all made of stainless steel and can be distinguished by their design, size and capacity. We offer best-performing equipment for every application:

- [Screw Thickeners](#)
- [Disc Thickeners](#)
- [Belt Thickeners](#)

Systems concept



Click on the image to get a detailed, interactive view with additional information and links.

Photos




Video: HUBER Disc Thickener S-DISC - here at a municipal WWTP
<https://www.youtube.com/watch?v=3B0yOFFdLyo>



Video: HUBER Disc Thickener S-DISC for thickening of excess sludge in meat processing industry
<https://www.youtube.com/watch?v=HvwV0BaLd68>



Video: HUBER Screw Thickener S-DRUM (RoS2) - here at a municipal WWTP
<https://www.youtube.com/watch?v=uxjMve6yi50>



Video: HUBER Belt Thickener DrainBelt - here at a municipal WWTP
<https://www.youtube.com/watch?v=6pcHf8aJpqQ>



Video: Complete wastewater treatment at the Øygarden WWTP in Norway
<https://www.youtube.com/watch?v=KU2awn3DP68>

Case Studies

- Further orders for HUBER UK containerised Sludge Thickening S-DISC
- A HUBER Technology Wastewater Case Study at Uttroter STW for Severn Trent Water
- HUBER Screw Press Q-PRESS® in operation at a disposal company
- HUBER Technology Sludge Thickening solutions with the HUBER S-DISC
- A HUBER Technology Sludge Thickening case study
- A HUBER Technology Wastewater Case Study at Winchcombe STW for Severn Trent Water
- Milford Haven WwTW Case Study: HUBER Disc Thickener S-DISC
- New HUBER Screw Press Q-PRESS® 620.2 for sludge dewatering: operational experience on STP Bad Orb
- Magilligan WwTW - A Wastewater Case Study
- Flexible Disc Thickener on WWTP Waging
- HUBER sludge treatment plant on the Black Sea Coast
- ROTAMAT® Disc Thickeners RoS 2S for Small Treatment Plants
- Efficient Sludge Treatment at Small Plants

Products

- HUBER Disc Thickener S-DISC
- HUBER Rotary Screw Thickener S-DRUM
- HUBER Belt Thickener DrainBelt



ROTAMAT Ltd. t/a HUBER Technology
Units C&D Brunel Park Bumpers Farm Ind. Est.
Chippenham Wiltshire SN14 6NQ
Registered in England No. 2874696 VAT Registration No. 639396393
Telephone: 01249 765000
rotamat@huber.co.uk www.huber.co.uk

A member of the HUBER Group

